

1. Co Z, Holmgren AJ, Classen DC, Newmark L, Seger DL, Danforth M, Bates DW. The tradeoffs between safety and alert fatigue: Data from a national evaluation of hospital medication-related clinical decision support. *Journal of the American Medical Informatics Association*. 2020 Jul 4.
2. Classen DC, Holmgren AJ, Co Z, Newmark LP, Seger D, Danforth M, Bates DW. National Trends in the Safety Performance of Electronic Health Record Systems From 2009 to 2018. *JAMA Network Open*. 2020 May 1;3(5):e205547.
3. Lyons A, Sward K, Deshmukh V, Pett M, Donaldson G, Turnbull J. Impact of computerized provider order entry (CPOE) on length of stay and mortality. *Journal of the American Medical Informatics Association*. 2017;24(2):303-309.
4. Romanow D, Rai A, Keil M, Luxenberg S. Does extended CPOE use reduce patient length of stay?. *International Journal of Medical Informatics*. 2017;97:128-138.
5. Nuckols T, Asch S, Patel V, et al. Implementing computerized provider order entry in acute care hospitals in the United States could generate substantial savings to society. *Jt Comm J Qual Patient Saf*. 2015;41(8):341-351.
6. MacKay M, Anderson C, Bochme S, Cash J, Zobell J. Frequency and severity of parenteral nutrition medication errors at a large children's hospital after implementation of electronic ordering and compounding. *Nutr Clin Pract*. 2015 Jul 24 [Epub ahead of print].
7. Radley DC, Wasserman MR, Olsho LE, et al. Reduction in medication errors in hospitals due to adoption of computerized provider order entry systems. *Journal of the American Medical Informatics Association*. 2013. 20.3 (2013): 470-476.
8. Pelayo S, Anceauxb F, Rogalskic J, et al. A comparison of the impact of CPOE implementation and organizational determinants on doctor–nurse communications and cooperation. *International Journal of Medical Informatics*. 2013. 82.12; e321-e330.
9. Magrabi F, Aarts J, Nohr C, et al. A comparative review of patient safety initiatives for national health information technology. *International Journal of Medical Informatics*. 2013. 82.5: e139-e148.
10. Saxena K, Lung BR, Becker JR. Improving patient safety by modifying provider ordering behavior using alerts (CDSS) in CPOE system. AMIA Annual Symposium Proceedings. *American Medical Informatics Association*. 2011. Vol. 2011.
11. Metzger JB, Welebob E, Bates DW, Lipsitz S, Classen DC. Mixed results in the safety performance of computerized physician order entry. *Health Affairs*. 2010; 29(4): 1-9.
12. Yu F, Menachemi N, Berner E, Allison J, Weissman N, Houston T. Full implementation of computerized physician order entry and medication-related quality outcomes: A study of 3364 hospitals. *Am J Med Qual*. 2009;24(4):278-286.
13. Metzger JB, Welebob E, Turisco F, Classen DC. Effective Use of Medication-Related Decision Support in CPOE. *Patient Safety and Quality Healthcare*. 2008 Sep/Oct: 16-24.
14. Metzger JB, Welebob E, Turisco F, Classen DC. The Leapfrog Group's CPOE Standard and Evaluation Tool. *Patient Safety and Quality Healthcare*. 2008 Jul/Aug: 22-25.
15. Adams M, Bates D, Coffman G, Everett W. Saving Lives, Saving Money: The Imperative for Computerized Physician Order Entry in Massachusetts Hospitals. U.S.A.: *Massachusetts Technology Collaborative and New England Healthcare Institute*; 2008.
16. Shamliyan TA, Duval S, Du J, Kane RL. Just what the doctor ordered. Review of the evidence of the impact of a computerized physician order system on medication errors. *Health Serv Res*. 2008 Feb; 43(1):32-53.
17. Lin CP, Payne TH, Nichol, WP, Hoey PJ, Anderson CL, Gennari JH. Evaluating clinical decision support systems: Monitoring CPOE order check override rates in the Department of Veterans Affairs' Computerized Patient Order System. *J Am Med Inform Assoc*. 2008; 15:620-626.

18. Holdsworth MT, Fichtl RE, Raisch DW, Hewryk A, Behta M, Mendez-Rico E, Wong CL, Cohen J, Bostwick S, Greenwald BM. Impact of computerized prescriber order entry on the incidence of adverse drug events in pediatric patients. *Pediatrics*. 2007 Nov; 120(5):1058-66.
19. Classen DC, Avery AJ, Bates DW. Evaluation and Certification of Computerized Provider Order Entry Systems. *J Am Med Inform Assoc*. 2007; 14:48-55.
20. Kuperman GJ, Bobb, A, Payne TH et al. Medication-related Clinical Decision Support in Computerized Provider Order Entry Systems: A Review. *J Am Med Inform Assoc*. 2007; 14(1):29-40. Epub 2006 Oct 26
21. Del Baccaro MA, Jeffries HE, Eisenberg MA, Harry ED. Computerized provider order entry implementation: No association with increased mortality rates in an intensive care unit. *Pediatrics* 2006, 118(1): 290-295.
22. Kelly WN, Rucker TD. Compelling features of a safe medication-use system. *Am J Health Syst Pharm*. 2006 Aug 1;63(15):1461-8
23. Kilbridge PM, Welebob EM, Classen DC. Development of the Leapfrog methodology for evaluating hospital implemented inpatient computerized physician order entry systems. *Qual Saf Health Care*. 2006 Apr;15(2):81-4
24. Van der Sijs H, Aarts J, Vulto A, Berg M. Overriding of drug safety alerts in computerized physician order entry. *J Am Med Inform Assoc*. 2006 Mar-Apr;13(2):138-47. Epub 2005 Dec 15
25. Shah NR, Seger AC, Seger DL et al. Improving acceptance of computerized prescribing alerts in ambulatory care. *J Am Med Inform Assoc*. 2006 Jan-Feb;13(1):5-11. Epub 2005 Oct 12.
26. Galanter WL, Polikaitis A, DiDomenico RJ. A trial of automated safety alerts for inpatient digoxin use with computerized physician order entry. *J Am Med Inform Assoc*. 2004 Jul- Aug;11(4):270-7. Epub 2004 Apr 2.
27. Potts AL, Barr FE, Gregory DF, Wright L, Patel, NR. Computerized physician order entry and medication errors in a pediatric critical care unit. *Pediatrics* 2004; 113(1):59-63
28. Birkmeyer JD, Dimick JB. Leapfrog safety standards: potential benefits of universal adoption. *The Leapfrog Group*. Washington, DC: 2004.
29. King WJ, Paice N, Rangrej J et al. The effect of computerized physician order entry on medication errors and adverse drug events in pediatric inpatients. *Pediatrics*. 2003 Sep;112(3 Pt 1):506-9.
30. Kaushal R, Shojania KG, Bates DW. Effects of computerized physician order entry and clinical decision support systems on medication safety: a systematic review. *Archives of Internal Medicine*. 2003;163:1409-1416.
31. Birkmeyer CM, Lee J, Bates DW, Birkmeyer JD. Will electronic order entry reduce health care costs? *Effective Clinical Practice*. 2002;5: 67-74.
32. Mekhjian HS, Kumar RR, Kuehr L et al. Immediate benefits realized following implementation of physician order entry at an academic medical center. *J Am Med Inform Assoc*, 2002; Sept-Oct; 9(5) 529-39.
33. Agency for Healthcare Research and Quality. *HCUPnet, Healthcare Cost and Utilization Project*. Rockville, MD; 2001.
34. Chertow GM, Lee J, Kuperman GJ, Burdick E, Horsky J, Seger DL, Lee R, Mekala A, Song J, Komaroff AL, Bates DW. Guided medication dosing for inpatients with renal insufficiency. *Journal of the American Medical Association*. 2001; 286:2839-2944.
35. Pedersen CA, Schnieder PJ, Santell JP. ASHP national survey of pharmacy practice in hospital settings: prescribing and transcribing – 2001. *American Journal of Health Systems Pharmacy*. 2001; 58:2251-2266.
36. Bates DW, Teich JM, Merchia PR, Schmitz BS, Kuperman GJ, Spurr CD. Effects of Computerized Physician Order Entry on Prescribing Practices. *Archives of Internal Medicine*. 2000; 160: 2741-2747.
37. Teich JM, Merchia PR, Schmitz JL, Kuperman GJ, Spurr CD, Bates DW. Effects of computerized physician order entry on prescribing practices. *Archives of Internal Medicine*. 2000;160:2741-2747.

38. Bates DW, Teich JM, Lee J, Seger D, Kuperman GJ, Ma'Luf N, Boyle D, Leape L. The impact of computerized physician order entry on medication error prevention. *Journal of the American Medical Informatics Association*. 1999; 6:313-21.
39. Kohn, LT, Corrigan JM, Donaldson MS (eds): To Err is Human: Building a Safer Health System: a report from the Committee on Quality of Healthcare in America, Institute of Medicine, *National Academy of Sciences*. National Academy Press, Washington, DC, 1999.
40. Ash JS, Gorman PN, Hersh WR. Physicians order entry in U.S. hospitals.
41. Proceedings/AMIA Annual Symposium. 1998; 235-9.
42. Bates DW, Leape L, Cullen DJ, et al. Effect of computerized physician order entry and a team intervention on prevention of serious medication errors. *JAMA*. 1998; 280:1311-16.
43. Bates DW. Drugs and adverse drug reactions: how worried should we be? (Editorial). *JAMA*. 1998; 279:1216-1222.
44. Evans RS, Pestotnik SL, Classen DC, et al. A computer-assisted management program for anti-biotics and other antiinfective agents. *N Engl J Med*. 1998; 338:232-238.
45. Bates DW, Spell N, Cullen DJ, et al. The costs of adverse drug events in hospitalized patients. *JAMA*. 1997; 277:307-311.
46. Classen DC, Pestotnik SL, Evans RS, Lloyd JF, Burke JP. Adverse drug events in hospitalized patients: excess length of stay, extra costs, and attributable mortality. *JAMA*. 1997; 277:301-306.
47. Overhage JM, Tierney WM, Zhou XH, McDonald CJ. A randomized trial of "corollary orders" to prevent errors of omission. *Journal of the American Medical Informatics Association*. 1997;4:346-375.
48. Glaser J, Teich JM, Kuperman G. Impact of information events on medical care. In: Proceedings and abstracts of the 1996 *Healthcare Information and Management Systems Society Annual Conference*. February 6, 1996; Atlanta, GA, Ill. Pages 1-9.
49. Paterno M, Teich JM, Seger DL, Bates DW. A practical method for presenting drug interactions to clinicians. *Proc AMIA Annu Fall Symp*. 1996; 20:872.
50. Bates DW, Cullen D, Laird N, et al. Incidence of adverse drug events and potential adverse drug events. *JAMA*. 1995; 274:29-34.
51. Johnson JA, Bootman HL. Drug-related morbidity and mortality: a cost-of-illness model. *Arch Intern Med*. 1995; 155:1949-1956.
52. Leape LL, Bates DW, Cullen DJ, et al. Systems analysis of adverse drug events. *JAMA*. 1995; 274: 35-43.
53. Bates DW, O'Neil AC, Boyle D, et al. Potential identifiability and preventability of adverse events using information systems. *J Am Med Assoc*. 1994; 1:404-411.
54. Evans RS, Pestotnik SL, Classen DC, Horn SD, Bass SB, Burke JPP. Preventing adverse drug events in hospitalized patients. *Ann Pharmacother*. 1994; 28:523-527.
55. Sittig DF, Stead WW. Computer-based physician order entry: the state of the art. *J Am Med Inform Assoc*. 1994; 1:108-123.
56. Bates DW, Leape LL, Petrycki S. Incidence and preventability of adverse drug events in hospitalized adults. *J Gen Intern Med*. 1993; 8:289-294.
57. Massaro TA. Introducing physician order entry at a major academic medical center. *Acad Med*. 1993; 68:20-25.
58. Tiech JM, Spurr CD, Flammini SH, et al. Response to a trial of physician based inpatient order entry. *Proc Annu Symp Comput Appl Med Care*. 1993; 17:316-320.
59. Tierney WM, Miller ME, Overhage JM, McDonald CH. Physician inpatient order writing on microcomputer workstations. *JAMA*. 1993; 269:379-383.
60. Teich JM, Hurley JF, Beckley RF, Aranow M. Design of an easy-to-use physician order entry system with support for nursing and ancillary departments. *Proc Annu Symp Comput Appl Med Care*. 1992; 16:99-103.

61. Brown GC. Medication errors: a case study. *Hospitals*. 1979; 53:61-2, 65.