

1. Co Z, Strasberg HR, Hanway BR, Sittig DF, Classen DC. Comparing the effectiveness of a medication knowledge base product as designed with real-world hospital implementations using the Leapfrog Group's Computerized Physician Order Entry (CPOE/EHR) Evaluation Tool. *JAMIA Open*. 2026 Jan 6;9(1):oof176.
2. Grauer A, Rosen A, Applebaum JR, Carter D, Reddy P, Dal Col A, et al. Examining medication ordering errors using AHRQ network of patient safety databases. *J Am Med Inform Assoc*. 2023 Apr 19;30(5):838-845.
3. Setareh S, Rabiei R, Mirzaei HR, Roshanpoor A, Shaabani M. Effects of Guideline-based Computerized Provider Order Entry Systems on the Chemotherapy Order Process: A Systematic Review. *Acta Inform Med*. 2022; 30(1):61-68.
4. Almoaber B, Amyot D. Key factors of clinicians' acceptance of CPOE system and their link to change management. *Inform Health Soc Care*. 2021:1-20. Epub ahead of print.
5. Srinivasamurthy SK, Ashokkumar R, Kodidela S, Howard SC, Samer CF, Rao USC. Impact of computerised physician order entry (CPOE) on the incidence of chemotherapy-related medication errors: a systematic review. *Eur J Clin Pharmacol*. 2021;77(8):1123-1131.
6. Abraham J, Kitsiou S, Meng A, Burton S, Vatani H, Kannampallil T. Effects of CPOE-based medication ordering on outcomes: an overview of systematic reviews. *BMJ Qual Saf*. 2020;29(10):1-2.
7. Co Z, Holmgren AJ, Classen DC, Newmark L, Seger DL, Danforth M, Bates DW. The tradeoffs between safety and alert fatigue: Data from a national evaluation of hospital medication-related clinical decision support. *J Am Med Inform Assoc*. 2020;27(8):1252-1258.
8. Roumeliotis N, Sniderman J, Adams-Webber T, Addo N, Anand V, Rochon P, et al. Effect of electronic prescribing strategies on medication error and harm in hospital: a systematic review and meta-analysis. *J Gen Intern Med*. 2019;34(10):2210-2223.
9. Classen DC, Holmgren AJ, Co Z, Newmark LP, Seger D, Danforth M, et al. National trends in the safety performance of electronic health record systems from 2009 to 2018. *JAMA Network Open*. 2020;3(5):e205547.
10. Lyons A, Sward K, Deshmukh V, Pett M, Donaldson G, Turnbull J. Impact of computerized provider order entry (CPOE) on length of stay and mortality. *J Am Med Inform Assoc*. 2017;24(2):303-309.
11. Romanow D, Rai A, Keil M, Luxenberg S. Does extended CPOE use reduce patient length of stay?. *Int J Med Inform*. 2017;97:128-138.
12. Nuckols T, Asch S, Patel V, et al. Implementing computerized provider order entry in acute care hospitals in the United States could generate substantial savings to society. *Jt Comm J Qual Patient Saf*. 2015;41(8):341-351.
13. MacKay M, Anderson C, Bochme S, Cash J, Zobell J. Frequency and severity of parenteral nutrition medication errors at a large children's hospital after implementation of electronic ordering and compounding. *Nutr Clin Pract*. 2016;31(2):195-206.
14. Radley DC, Wasserman MR, Olsho LE, et al. Reduction in medication errors in hospitals due to adoption of computerized provider order entry systems. *J Am Med Inform Assoc*. 2013;20(3):470-476.
15. Pelayo S, Anceauxb F, Rogalskic J, et al. A comparison of the impact of CPOE implementation and organizational determinants on doctor–nurse communications and cooperation. *Int J Med Inform*. 2013;82(12): e321-e330.
16. Magrabi F, Aarts J, Nohr C, et al. A comparative review of patient safety initiatives for national health information technology. *Int J Med Inform*. 2013;82(5): e139-e148.
17. Saxena K, Lung BR, Becker JR. Improving patient safety by modifying provider ordering behavior using alerts (CDSS) in CPOE system. *AMIA Annu Symp Proc*. 2011;1207-1216.
18. Metzger JB, Welebob E, Bates DW, Lipsitz S, Classen DC. Mixed results in the safety performance of computerized physician order entry. *Health Aff (Millwood)*. 2010;29(4): 1-9.

19. Yu F, Menachemi N, Berner E, Allison J, Weissman N, Houston T. Full implementation of computerized physician order entry and medication-related quality outcomes: a study of 3364 hospitals. *Am J Med Qual.* 2009;24(4):278-286.
20. Metzger JB, Welebob E, Turisco F, Classen DC. Effective use of medication-related decision support in CPOE. *Patient Safety and Quality Healthcare.* 2008;16-24.
21. Metzger JB, Welebob E, Turisco F, Classen DC. The Leapfrog Group's CPOE Standard and Evaluation Tool. *Patient Safety and Quality Healthcare.* 2008;22-25.
22. Adams M, Bates D, Coffman G, Everett W. Saving lives, saving money: the imperative for computerized physician order entry in Massachusetts hospitals. *Massachusetts Technology Collaborative and New England Healthcare Institute.* 2008.
23. Shamliyan TA, Duval S, Du J, Kane RL. Just what the doctor ordered. Review of the evidence of the impact of a computerized physician order system on medication errors. *Health Serv Res.* 2008;43(1):32-53.
24. Lin CP, Payne TH, Nichol, WP, Hoey PJ, Anderson CL, Gennari JH. Evaluating clinical decision support systems: monitoring CPOE order check override rates in the Department of Veterans Affairs' Computerized Patient Order System. *J Am Med Inform Assoc.* 2008; 15:620-626.
25. Holdsworth MT, Fichtl RE, Raisch DW, Hewryk A, Behta M, Mendez-Rico E, et al. Impact of computerized prescriber order entry on the incidence of adverse drug events in pediatric patients. *Pediatrics.* 2007;120(5):1058-1066.
26. Classen DC, Avery AJ, Bates DW. Evaluation and certification of computerized provider order entry systems. *J Am Med Inform Assoc.* 2007;14:48-55.
27. Kuperman GJ, Bobb, A, Payne TH, et al. Medication-related clinical decision support in computerized provider order entry systems: a review. *J Am Med Inform Assoc.* 2007;14(1):29-40.
28. Del Baccaro MA, Jeffries HE, Eisenberg MA, Harry ED. Computerized provider order entry implementation: no association with increased mortality rates in an intensive care unit. *Pediatrics.* 2006;118(1):290-295.
29. Kelly WN, Rucker TD. Compelling features of a safe medication-use system. *Am J Health Syst Pharm.* 2006;63(15):1461-1468.
30. Kilbridge PM, Welebob EM, Classen DC. Development of the Leapfrog methodology for evaluating hospital implemented inpatient computerized physician order entry systems. *Qual Saf Health Care.* 2006;15(2):81-84.
31. Van der Sijs H, Aarts J, Vulto A, Berg M. Overriding of drug safety alerts in computerized physician order entry. *J Am Med Inform Assoc.* 2006;13(2):138-47.
32. Shah NR, Seger AC, Seger DL, Fiskio JM, Kuperman GJ, Blumenfeld B, et al. Improving acceptance of computerized prescribing alerts in ambulatory care. *J Am Med Inform Assoc.* 2006b;13(1):5-11.
33. Galanter WL, Polikaitis A, DiDomenico RJ. A trial of automated safety alerts for inpatient digoxin use with computerized physician order entry. *J Am Med Inform Assoc.* 2004;11(4):270-277.
34. Potts AL, Barr FE, Gregory DF, Wright L, Patel, NR. Computerized physician order entry and medication errors in a pediatric critical care unit. *Pediatrics.* 2004;113(1):59-63.
35. Birkmeyer JD, Dimick JB. Leapfrog safety standards: potential benefits of universal adoption. *The Leapfrog Group.* Washington, DC. 2004.
36. King WJ, Paice N, Rangrej J, Forestell GJ, Swartz R. The effect of computerized physician order entry on medication errors and adverse drug events in pediatric inpatients. *Pediatrics.* 2003;112(3 Pt 1):506-509.
37. Kaushal R, Shojania KG, Bates DW. Effects of computerized physician order entry and clinical decision support systems on medication safety: a systematic review. *Arch Intern Med.* 2003;163:1409-1416.
38. Birkmeyer CM, Lee J, Bates DW, Birkmeyer JD. Will electronic order entry reduce health care costs?. *Eff Clin Prac.* 2002;5(2):67-74.

39. Mekhijan HS, Kumar RR, Kuehr L, Bentley TD, Teater P, Thomas A, et al. Immediate benefits realized following implementation of physician order entry at an academic medical center. *J Am Med Inform Assoc.* 2002;9(5):529-539.
40. Agency for Healthcare Research and Quality. *HCUPnet, Healthcare Cost and Utilization Project.* Rockville, MD. 2001.
41. Chertow GM, Lee J, Kuperman GJ, Burdick E, Horsky J, Seger DL, et al. Guided medication dosing for inpatients with renal insufficiency. *JAMA.* 2001;286:2839-2944.
42. Pedersen CA, Schnieder PJ, Santell JP. ASHP national survey of pharmacy practice in hospital settings: prescribing and transcribing – 2001. *Am J Health-Syst Ph.* 2001;58:2251-2266.
43. Bates DW, Teich JM, Merchia PR, Schmiz BS, Kuperman GJ, Spurr CD. Effects of computerized physician order entry on prescribing practices. *Arch Int Med.* 2000;160:2741-2747.
44. Bates DW, Teich JM, Lee J, Seger D, Kuperman GJ, Ma'Luf N, et al. The impact of computerized physician order entry on medication error prevention. *J Am Med Inform Assn.* 1999;6:313-321.
45. Kohn, LT, Corrigan JM, Donaldson MS (eds): To err is human: building a safer health system: a report from the Committee on Quality of Healthcare in America, Institute of Medicine, National Academy of Sciences, National Academy Press. Washington, DC. 1999.
46. *Proceedings/AMIA Annual Symposium.* 1998;235-239.
47. Bates DW, Leape L, Cullen DJ, et al. Effect of computerized physician order entry and a team intervention on prevention of serious medication errors. *JAMA.* 1998; 280:1311-16.
48. Bates DW. Drugs and adverse drug reactions: how worried should we be?. *JAMA.* 1998;279:1216-1222.
49. Evans RS, Pestotnik SL, Classen DC, Clemmer TP, Weaver LK, Orme JF, et al. A computer-assisted management program for anti-biotics and other anti-infective agents. *N Engl J Med.* 1998;338:232-238.
50. Bates DW, Spell N, Cullen DJ, Burdick E, Laird N, Peterson LA, et al. The costs of adverse drug events in hospitalized patients. *JAMA.* 1997;277:307-311.
51. Classen DC, Pestotnik SL, Evans RS, Lloyd JF, Burke JP. Adverse drug events in hospitalized patients: excess length of stay, extra costs, and attributable mortality. *JAMA.* 1997;277:301-306.
52. Overhage JM, Tierney WM, Zhou XH, McDonald CJ. A randomized trial of “corollary orders” to prevent errors of omission. *J Am Med Inform Assn.* 1997;4:346-375.
53. Glaser J, Teich JM, Kuperman G. Impact of information events on medical care. In: *Proceedings and abstracts of the 1996 Healthcare Information and Management Systems Society Annual Conference.* Atlanta, GA. 1996;1-9.
54. Paterno M, Teich JM, Seger DL, Bates DW. A practical method for presenting drug interactions to clinicians. *Proc AMIA Annu Fall Symp.* 1996;20:872.
55. Bates DW, Cullen D, Laird N, Peterson LA, Small SD, Servi D, et al. Incidence of adverse drug events and potential adverse drug events. *JAMA.* 1995;274:29-34.
56. Johnson JA, Bootman HL. Drug-related morbidity and mortality: a cost-of-illness model. *Arch Intern Med.* 1995;155:1949-1956.
57. Leape LL, Bates DW, Cullen DJ, Cooper J, Demonaco HJ, Gallivan T, et al. Systems analysis of adverse drug events. *JAMA.* 1995;274:35-43.
58. Bates DW, O'Neil AC, Boyle D, Teich J, Chertow GM, Komaroff AL, et al. Potential identifiability and preventability of adverse events using information systems. *J Am Med Assoc.* 1994;1:404-411.
59. Evans RS, Pestotnik SL, Classen DC, Horn SD, Bass SB, Burke JPP. Preventing adverse drug events in hospitalized patients. *Ann Pharmacother.* 1994;28:523-527.
60. Sittig DF, Stead WW. Computer-based physician order entry: the state of the art. *J Am Med Inform Assoc.* 1994;1:108-123.

61. Bates DW, Leape LL, Petrycki S. Incidence and preventability of adverse drug events in hospitalized adults. *J Gen Intern Med.* 1993;8:289-294.
62. Massaro TA. Introducing physician order entry at a major academic medical center. *Acad Med.* 1993;68:20-25.
63. Tiech JM, Spurr CD, Flammini SH, et al. Response to a trial of physician based inpatient order entry. *Proc Annu Symp Comput Appl Med Care.* 1993;17:316-320.
64. Tierney WM, Miller ME, Overhage JM, McDonald CH. Physician inpatient order writing on microcomputer workstations. *JAMA.* 1993;269:379-383.
65. Teich JM, Hurley JF, Beckley RF, Aranow M. Design of an easy-to-use physician order entry system with support for nursing and ancillary departments. *Proc Annu Symp Comput Appl Med Care.* 1992;16:99-103.
66. Brown GC. Medication errors: a case study. *Hospitals.* 1979;53:61-2, 65.