

1. Sakowitz S, Yamashita M, Hammons M, Donahue TR. Improved Survival with Delayed Surgery at High-Volume Centers Versus Early Surgery at Low-Volume Centers for Pancreatic Cancer. *Ann Surg Oncol*. 2026 Jan 15.
2. Sakowitz S, Bakhtiyar SS, Mallick S, Yanagawa J, Benharash P. Travel to High-Volume Centers and Survival After Esophagectomy for Cancer. *JAMA Surg*. 2025;160(1):19–27.
3. Maxwell CM, Bhat AM, Falls SJ, Bigbee M, Yin Y, Chalikonda S, et al. Comprehensive value implications of surgeon volume for lung cancer surgery: Use of an analytic framework within a regional health system. *JTCVS Open*. 2023; 17:286-294.
4. Kalata S, Schaefer SL, Nuliyahu U, Ibrahim AM, Nathan H. Low-Volume Elective Surgery and Outcomes in Medicare Beneficiaries Treated at Hospital Networks. *JAMA Surg*. 2023
5. Newell P, Percy E, Hirji S, Harloff M, McGurk S, Malarczyk A, et al. Outcomes of Mitral Valve Repair Among High- and Low-Volume Surgeons Within a High-Volume Institution. *Ann Thorac Surg*. 2023;115(2):412-419.
6. Fischer C, Alvarico SJ, Wildner B, Schindl M, Simon J. The relationship of hospital and surgeon volume indicators and post-operative outcomes in pancreatic surgery: a systematic literature review, meta-analysis and guidance for valid outcome assessment. *HPB (Oxford)*. 2023; 23:S1365-182X(23)00020-5.
7. Gandjian M, Williamson C, Sanaiha Y, Hadaya J, Tran Z, Kim ST, et al. Continued relevance of minimum volume standards for elective esophagectomy: a national perspective. *Ann Thorac Surg*. 2022 Aug 1;114(2):426-33.
8. Scali ST, Columbo JA, Suckow BD, D'Oria M, Neal D, Goodney PP, et al. Center volume is associated with diminished failure to rescue and improved outcomes following elective open abdominal aortic aneurysm repair. *J Vasc Surg*. 2022;76(2):400-408.
9. Golnari P, Nazari P, Hurley MC, Shaibani A, Ansari SA, Potts MB, et al. Continued Dominance of Carotid Endarterectomy over Stenting in the United States: Volumes, Outcomes, and Complications from the National Inpatient Sample (1997-2015). *World Neurosurg*. 2022; 163:e238-e252.
10. Subramanian MP, Yang Z, Chang SH, Willis D, Zhang J, Semenkovich TR, et al. Minimum Volume Standards for Surgical Care of Early-Stage Lung Cancer: A Cost-Effectiveness Analysis. *Ann Thorac Surg*. 2022. Epub ahead of print.
11. Levallant M, Marcilly R, Levallant L, Michel P, Hamel-Broza JF, Vallet B, et al. Assessing the hospital volume-outcome relationship in surgery: a scoping review. *BMC Med Res Methodol*. 2021;21(1).
12. Bouchard P, Demyttenaere S, Court O, Franco EL, Andalib A. Surgeon and hospital volume outcomes in bariatric surgery: a population-level study. *Surg Obes Relat Dis*. 2020;16(5):674-81.
13. Hoshijima H, Wajima Z, Nagasaka H, Shiga T. Association of hospital and surgeon volume with mortality following surgical procedures: meta-analysis of meta-analyses of observational studies. *Medicine (Baltimore)*. 2019;98(44):e17712.
14. Jolbäck P, Rolfson O, Cnudde P, Odin D, Malchau H, Lindahl H, et al. High annual surgeon volume reduces the risk of adverse events following primary total hip arthroplasty: a registry-based study of 12,100 cases in Western Sweden. *Acta Orthop*. 2019;90(2):153-158.
15. Saulle R, Vecchi S, Cruciani F, Mitrova Z, Amato L, Davoli M. The combined effect of surgeon and hospital volume on health outcomes: a systematic review. *La Clinica Terapeutica*. 2019;170(2):e148-61.
16. Mufarrih SH, Ghani MO, Martins RS, Qureshi NQ, Mufarrih SA, Malik AT, et al. Effect of hospital volume on outcomes of total hip arthroplasty: a systematic review and meta-analysis. *J Orthop Surg Res*. 2019;14(1):468.
17. Glociczki P, Lawrence P, Forbes T. Update of the society for vascular surgery abdominal aortic aneurysm guidelines. *J Vasc Surg*. 2018;67(1):1.
18. Zettervall SL, Schermerhorn ML, Soden PA, McCallum JC, Shean KE, Deery SE, et al. The effect of surgeon and

- hospital volume on mortality after open and endovascular repair of abdominal aortic aneurysms. *J Vasc Surg.* 2017;65(3):626-634.
19. Fuchs HF, Harnsberger CR, Broderick RC, Chang DC, Sandler BJ, Jacobsen GR, et al. Mortality after esophagectomy is heavily impacted by center volume: retrospective analysis of the Nationwide Inpatient Sample. *Surg Endosc.* 2017;31(6):2491-2497.
 20. Speicher PJ, Englum BR, Ganapathi AM, Wang X, Hartwig MG, D'Amico TA, et al. Traveling to a high-volume center is associated with improved survival for patients with esophageal cancer. *Ann Surg.* 2017;265(4):743-749.
 21. Lidsky ME, Sun Z, Nussbaum DP, Adam MA, Speicher PJ, Blazer III DG. Going the extra mile: improved survival for pancreatic cancer patients traveling to high-volume centers. *Ann Surg.* 2017;266(2):333-338.
 22. Chikwe J, Toyoda N, Anyanwu AC, Itagaki S, Egorova NN, Boateng P, et al. Relation of mitral valve surgery volume to repair rate, durability, and survival. *J Am Coll Cardiol.* 2017;69(19):2397-2406.
 23. Baker L, O'Sullivan M. Small numbers can have big consequences: many California hospitals perform dangerously low numbers of cancer surgeries. *California Health Care Foundation.* 2017. Available at: <https://www.chcf.org/publication/small-numbers-can-have-big-consequences-many-california-hospitals-perform-dangerously-low-numbers-of-cancer-surgeries/>
 24. Atkinson S, Daly MC, Midura EF, Etzioni DA, Abbott DE, Shah SA, et al. The effect of hospital volume on resection margins in rectal cancer surgery. *J Surg Res.* 2016;1(204):22-28.
 25. Wilson S, Marx RG, Pan TJ, Lyman S. Meaningful thresholds for the volume-outcome relationship in total knee arthroplasty. *J Bone Joint Surg Am.* 2016;98(20):1683-1690.
 26. Anderson BR, Ciarleglio AJ, Cohen DJ, Lai WW, Neidell M, Hall M, et al. The Norwood operation: relative effects of surgeon and institutional volumes on outcomes and resource utilization. *Cardiol Young.* 2016;26(4):683-692.
 27. Pronovost P. Why Surgical Volumes Should Be Public. *U.S. News & World Report.* 2016. Available at: <http://health.usnews.com/health-news/blogs/second-opinion/articles/2016-11-18/why-surgical-volumes-should-be-public>
 28. David EA, Cooke DT, Chen Y, Perry A, Canter RJ, Cress R. Surgery in high-volume hospitals not commission on cancer accreditation leads to increased cancer-specific survival for early-stage lung cancer. *Am J Surg.* 2015;210(4):643-647.
 29. Sternberg S, Dougherty G. Risks are high at low-volume hospitals. *U.S. News & World Report.* 2015. Available at: <https://www.usnews.com/news/articles/2015/05/18/risks-are-high-at-low-volume-hospitals>
 30. Vassileva CM, McNeely C, Spertus J, Markwell S, Hazelrigg S. Hospital volume, mitral repair rates, and mortality in mitral valve surgery in the elderly: an analysis of US hospitals treating Medicare fee-for-service patients. *J Thorac Cardiovasc Surg.* 2015;149(3):762-768.
 31. Reames BN, Ghaferi AA, Birkmeyer JD, Dimick JB. Hospital volume and operative mortality in the modern era. *Ann Surg.* 2014;260(2):244-51.
 32. Etzioni D, Young-Fadok T, Cima R, Wasif N, Madoff R, Naessens J, et al. Patient survival after surgical treatment of rectal cancer: impact of surgeon and hospital characteristics. *Cancer.* 2014;120(16):2472-2481.
 33. Zevin B, Aggarwal R, Grantcharov TP. Volume-outcome association in bariatric surgery: a systematic review. *Ann Surg.* 2012;256(1):60-71.
 34. Lau RL, Perruccio AV, Gandhi R, Mahomed NN. The role of surgeon volume on patient outcome in total knee arthroplasty: a systematic review of the literature. *BMC Musculoskel Dis.* 2012;13(1):250.
 35. Pasquali SK, Jacobs JP, He X, Hornik CP, Jaquiss RD, Jacobs ML, et al. The complex relationship between center volume and outcome in patients undergoing the Norwood operation. *Ann Thorac Surg.* 2012;93(5):1556-1562.

36. Pasquali SK, Li JS, Burstein DS, Sheng S, O'Brien SM, Jacobs ML, et al. Association of center volume with mortality and complications in pediatric heart surgery. *Pediatrics*. 2012;129(2):e370-e376.
37. Lau RL, Perruccio AV, Gandhi R, Mahomed NN. The role of surgeon volume on patient outcome in total knee arthroplasty: a systematic review of the literature. *BMC Musculoskel Dis*. 2012;13(1):250.
38. Hornik CP, He X, Jacobs JP, Li JS, Jaquiss RD, Jacobs ML, O'Brien SM, Welke K, Peterson ED, Pasquali SK. Relative impact of surgeon and center volume on early mortality after the Norwood operation. *Ann Thorac Surg*. 2012;93(6):1992-1997.
39. Jacobs JP, O'Brien SM, Pasquali SK, Jacobs ML, Lacour-Gayet FG, Tchervenkov CI, et al. Variation in outcomes for benchmark operations: an analysis of the Society of Thoracic Surgeons Congenital Heart Surgery Database. *Ann Thorac Surg*. 2011;92(6):2184-2192.
40. Singh JA, Kwoh CK, Boudreau RM, Lee GC, Ibrahim SA. Hospital volume and surgical outcomes after elective hip/knee arthroplasty: a risk-adjusted analysis of a large regional database. *Arthritis Rheum*. 2011;63(8):2531-2539.
41. Nugent E, Neary P. Rectal cancer surgery: volume–outcome analysis. *Int J Colorectal Dis*. 2010;25(12):1389-1396.
42. Osborne NH, Nicholas LH, Ghaferi AA, Upchurch GR, Dimick JB. Do popular media and internet-based hospital quality ratings identify hospitals with better cardiovascular surgery outcomes?. *J Am Coll Surg*. 2010;210(1):87-92.
43. Birkmeyer NJO, Dimick JB, Share D, Hawasli A, English WJ, Genaw J, et al., Hospital complication rates with bariatric surgery in Michigan. *JAMA*. 2010;304(1):435-442.
44. Welke KF, Diggs BS, Karamlou T, Ungerleider RM. The relationship between hospital surgical case volumes and mortality rates in pediatric cardiac surgery: a national sample, 1988–2005. *Ann Thorac Surg*. 2008;86(3):889-896.
45. Hirsch JC, Gurney JG, Donohue JE, Gebremariam A, Bove EL, Ohye RG. Hospital mortality for Norwood and arterial switch operations as a function of institutional volume. *Pediatr Cardiol*. 2008;29(4):713-717.
46. Birkmeyer JD, Sun Y, Wong SL, Stukel TA. Hospital volume and late survival after cancer surgery. *Ann Surg*. 2007;245(5):777-783.
47. Weller W, Hannan E. Relationship between provider volume and postoperative complications for bariatric procedures in New York State. *J Am Coll Surg*. 2006;202(5):753-761.
48. Dimick JB, Finlayson SR. Rural hospitals and volume standards in surgery. *Surgery*. 2006;140(3):367-371.
49. Ngyuen N, Paya M, Stevens C, Mavandadi S, Zainabadi K, Wilson S. The relationship between hospital volume and outcome in bariatric surgery at academic medical centers. *Ann Surg*. 2004;240(4):586-594.
50. Courcoulas A, Schuchert M, Gatti G, Luketich J. The relationship of surgeon and hospital volume to outcome after gastric bypass surgery in Pennsylvania: a 3-year summary. *Surgery*. 2003;134(4):613- 623.
51. Birkmeyer JD, Stukel TA, Siewers AS, Goodney P, Wennberg D, Lucas F. Surgeon volume and operative mortality in the United States. *New Engl J Med*. 2003;349:2117-2127.
52. Birkmeyer JD, Siewers AE, Finlayson EVA, Stukel TA, Lucas FL, Batista I, et al. Hospital volume and surgical mortality in the United States. *New Engl J Med*. 2002;346:1137-1144.
53. Bach PB, Cramer LD, Schrag D, Downey RJ, Gelfand SE, Begg CB. The influence of hospital volume on survival after resection for lung cancer. *New Engl J Med*. 2001;345(3):181-188.
54. Birkmeyer, JD. High-risk surgery—follow the crowd. *JAMA*. 2000;283(9):1191-1193.
55. Camarow A. Higher volume, fewer deaths. *U.S. News & World Report*. 2000.
56. Dudley RA, Johansen KL, Brand R, Rennie DJ, Milstein A. Selective referral to high-volume hospitals:

estimating potentially avoidable deaths. *JAMA*. 2000;283(9):1159-1166.

57. Halm EA, Lee C, Chassin MR. How is volume related to quality in health care? A systematic review of the research literature. Prepared for National Academy of Sciences, *Interpreting the volume-outcome relationship in the context of health care quality workshop*. Washington, D.C. 2000.
58. Finlayson SR, Birkmeyer JD, Tosteson AN, Nease RF. Patient preferences for location of care: Implications for regionalization. *Med Care*. 1999;37(2):204-209.
59. Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA*. 1998;280(20):1747-1751.
60. Cebul RD, Snow RJ, Pine R, Hertzner NR, Norris DG. Indications, outcomes, and provider volumes for carotid endarterectomy. *JAMA*. 1998;279(16):1282-1287.
61. Dardik A, Burleyson GP, Bowman H, Gordon TA, Williams GM, Webb TH, et al. Surgical repair of ruptured abdominal aortic aneurysms in the state of Maryland: Factors influencing outcome among 527 recent cases. *J Vasc Surg*. 1998;28(3):413-421.